



## SPH-175HQ

Order No.: 10.1470

**Price upon request**

### PRODUCTINFOS

**High-quality hi-fi bass-midrange speaker, 70 W, 8  $\Omega$**

- 175 mm (6 3/4") bass-midrange speaker
- Further development of the classic speaker SPH-176
- Diecast basket
- Rear-ventilated centering spider for minimum mechanical loss
- Scooped, air-dried, low-resonance paper cone
- Low-loss rubber surround
- Wide and linear radiation range
- Ideal parameters for bass-reflex systems

### Klang+Ton 06/2014

"Used in the speaker building concept MonaLisa: usually rather unobtrusive with a harmonised tuning, this speaker can still show an impressive performance, even at very high volume levels and when listening over longer periods of time. It provides a powerful bass and midrange reproduction and features an elegance which can only be realised with high-quality materials."

**HOBBY HiFi 03/2014**

"An exceptionally high-quality radiation without any cone resonance."

**TECHNICAL SPECIFICATIONS****SPH-175HQ**

Impedance (Z)	8 $\Omega$
Frequency range	f3-4,000 Hz
Resonant frequency (fs)	39 Hz
Power rating	70 W
Peak music power output	120 W
Sensitivity	89 dB/W/m
Suspension compl. (Cms)	1.2 mm/N
Moving mass (Mms)	13.9 g
Mech. Q factor (Qms)	2.57
Electr. Q factor (Qes)	0.5
Total Q factor (Qts)	0.42
Equivalent volume (Vas)	32.95 l
DC resistance (Re)	6.5 $\Omega$
Force factor (BxL)	6.4 Tm
Voice coil induct. (Le)	0.71 mH
Voice coil diameter	$\varnothing$ 25 mm
Voice coil former	aluminium
Linear excursion ( $X_{MAX}$ )	$\pm$ 5.5 mm
Eff. cone area (Sd)	140 cm <sup>2</sup>
Magnet weight	450 g
Magnet diameter	$\varnothing$ 90 mm
Mounting cutout	$\varnothing$ 152 mm
Mounting depth	73 mm
Mounting hole diameter	$\varnothing$ 165 mm
Dimensions	$\varnothing$ 175 mm x 79 mm
Outside diameter	$\varnothing$ 175 mm
Width	$\varnothing$ 175 mm
Depth	79 mm
Admiss. ambient temp.	0-40 °C

**SPH-175HQ**

Weight 1.31 kg

Sales unit 1

Type of speaker 6.75"