Beta 58A Dynamic Vocal Microphone (Supercardioid)

Overview

The Beta 58A is the leading choice among vocalists and touring professionals worldwide. Featuring a smooth, present sound and wide frequency response, its supercardioid polar pattern provides maximum sound isolation and minimum off-axis tone colouration.

Features

- Uniform supercardioid pattern for high gain-before-feedback and superior rejection of off-axis sound
 Minimally affected by varying load impedance
 Neodymium magnet for high signal-to-noise output
 Advanced pneumatic shock-mount system that minimises transmission of mechanical noise and vibration
- Hardened steel mesh grille that resists wear and abuse

Specifications


Туре	Dynamic				
Frequency Response	50 Hz to 16 kHz				
Polar Pattern	Supercardioid				
Impedance	290 Ω				
Sensitivity (at 1 kHz, open circuit voltage)	-51.5 dB/Pa (2.66 mV/PA)				
Polarity	Positive pressure on diaphragm produces positive voltage on pin 2 with respect to pin 3				
Weight	278 g				
Connector	Three-pin professional audio (XLR), male				




Accessories and Replacement Parts

A25D	Adjustable Stand Adapter*	95A2314 St	torage Bag*	95A2050	5/8" to 3/8" Thread Adapter*	A58WS	Windscreen (in different colours)

^{*} included in delivery





LEGENDARY PERFORMANCE™

www.shure.eu Beta Microphones I Beta 58A