

Oktoda

AK 2

Philips


Mieszacz i oscylator

Bocznostykowy



$$U_z = 4 \text{ V}$$

$$I_z = 0,65 \text{ A}$$



Wartości robocze

| | | |
|------------|--------------|------------|
| U_a | 250 | V |
| U_{s2} | 90 | V |
| $U_{s3,5}$ | 70 | V |
| U_{osc} | 8,5 | V |
| U_{s4} | -1,5... -25 | V |
| I_a | 1,6... 0,015 | mA |
| I_{s2} | 2 | mA |
| $I_{s3,5}$ | 3,8 | mA |
| S_p | 0,6... 0,002 | mA/V |
| Q_a | 1,6... > 10 | M Ω |
| I_{s1} | 190 | μ A |
| R_{s1} | 50 | k Ω |

Wartości maksymalne

| | | |
|---------------|-----|------------|
| U_{a0max} | 550 | V |
| U_{amax} | 250 | V |
| I_{kmax} | 10 | mA |
| P_{amax} | 0,5 | W |
| $P_{s3,5max}$ | 0,5 | W |
| P_{s2max} | 0,3 | W |
| R_{s1max} | 0,1 | M Ω |
| R_{s4max} | 2 | M Ω |
| U_{wlkmax} | 50 | V |

Pojemności

| | | |
|-------------|--------|----|
| $C_{s4/a}$ | < 0,06 | pF |
| $C_{s1/s4}$ | 0,35 | pF |
| $C_{s2/s4}$ | 0,25 | pF |

TYPY PODOBNE

AK 1, TAK 2

